




Automotive Parts > Automotive Connectors > Automotive Headers > PowerTube HVP-HD 1000 180° Headers



Contact Current Rating (Max): 500 A
Termination Method to PCB: Through Hole - Screw
Sealable: Yes
Centerline (Pitch): 36 mm [1.417 in]
Connector System: Bus Bar-to-Wire

[All PowerTube HVP-HD 1000 180° Headers \(87\)](#)

Features

Product Type Features

Header Type	Header & Push-Push Assembly
Connector Product Type	Connector Assembly
Sealable	Yes
Connector System	Bus Bar-to-Wire
Connector & Contact Terminates To	Bus Bar

Configuration Features

Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	1000 VDC
-------------------	----------

Body Features

Connector & Keying Code	A/B/C
Primary Product Color	Black



Contact Features

Mating Pin Diameter	10 mm[.393 in]
Contact Type	Pin
Contact Current Rating (Max)	500 A
Contact Mating Area Plating Material	Silver (Ag)

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------

Mechanical Attachment

Mating Alignment Type	Polarization
Connector Mounting Type	Panel Mount

Housing Features

Centerline (Pitch)	36 mm[1.417 in]
--------------------	-----------------

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

IP Rating	IPX9K
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Carton
------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247)



SVHC > Threshold:
Dodecamethylcyclohexasiloxane (D6) (.71% in 20433520485)
Decamethylcyclopentasiloxane (D5) (.71% in 20433520485)
Octamethylcyclotetrasiloxane (D4) (10% in Component Part)
Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	--

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2494574-2
HD1000 BLIND PLUG GEN2 NO SHIELD TOOL



TE Part # 2407806-1
COVER,SHIPPING CAP FOR HD1000 HEADER



TE Part # 2494574-1
HD1000 BLIND PLUG GEN2 NO SHIELD FINGER



TE Part # 2485612-2
HD1000 BLIND PLUG GEN2 TOOL



TE Part # CAT-AQ4-HFFTH1000
PowerTube HVP-HD 1000 Plug Pre-Assemblies




TE Part # 2485612-1
HD1000 BLIND PLUG GEN2 FINGER




TE Part # 2380202-1
DIE SET HD1000 T 35MM2

Also in the Series | PowerTube HVP-HD 1000



Automotive Connector EMC Shielding (4)



Automotive Housings(26)



Automotive Seals & Cavity Plugs(9)



Other Automotive Connector Accessories(29)

Customers Also Bought




TE Part #1355841-2
20POS MQS REC SEALED




TE Part #CAT-AQ4-PHA1000
PowerTube HVP-HD 1000 Accessories and Plug Components



TE Part #2-2394062-1
3POS,HVP1000,ASSY,180DEG,COD A /B/C



TE Part #2394111-1
H&S 35mm, SWS




TE Part #2-2308213-1
RESOLVER,ROTOR, WITH RIVETS AND MARKING



TE Part #7-2435192-3
MCON 1.2,TERMINAL,LL REC SRC AG



TE Part #2610003-1
HVP HD 1000 3P 180D CODE ABC HVIL CABLE



TE Part #2614001-1
HVP HD1400 2P 180D CODE EF HVIL CABLE

Documents

Product Drawings

3POS,HVP1000,ASSY,180DEG,COD A/B/C

English

CAD Files

Customer View Model

ENG_CVM_CVM_2394062-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2394062-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2394062-1_D.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages
HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications
Application Specification

English