# 1SET411101R0000 ACTIVE

#### **ENTRELEC**

TE Internal #: 1SET411101R0000

Wiring Duct, PC-ABS, 30 mm [1.181 in] Height, 2000 mm [78.74 in]

Length, 25 mm [.984 in] Width, -25 – 90 °C [-13 – 194 °F]

View on TE.com >



Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers >

Wiring Duct: PC-ABS Material, Gray, 2 meters, Flame-Retardant











Wiring Duct Product Type: Wiring Duct

Primary Product Material: PC-ABS

Product Height: 30 mm [1.181 in]

Product Length: 2000 mm [78.74 in]

Product Width: 25 mm [.984 in]

All Wiring Duct: PC-ABS Material, Gray, 2 meters, Flame-Retardant (11)

#### **Features**

## **Product Type Features**

Wiring Duct Product Type	Wiring Duct
Body Features	
Primary Product Color	Gray
Primary Product Material	PC-ABS
Dimensions	
Product Height	30 mm[1.181 in]
Product Length	2000 mm[78.74 in]
Product Width	25 mm[.984 in]
Usage Conditions	
Operating Temperature Range	-25 – 90 °C[-13 – 194 °F]
Packaging Features	

46

Packaging Quantity



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts









# Customers Also Bought

Wiring Duct, PC-ABS, 30 mm [1.181 in] Height, 2000 mm [78.74 in] Length, 25 mm [. 984 in] Width, -25 – 90 °C [-13 – 194 °F]






TE Part #DRC13-40PA
HDR, 40P, BLK, RA, 1032 FLG, SN/NI
/CU, A









TE Part #104479-9
SHORT POINT CONT 15 DPLX
STMPD LF











### **Documents**

**Product Drawings** 

WD-1-DH-GR2530

French

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SET411101R0000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET411101R0000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET411101R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages



Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC-wiring-duct-DS

English

Datasheet - Entrelec Electrical-Solutions

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

**Essential Entrelec Terminal Blocks** 

Japanese

Agency Approvals

Agency Approval Document

English

Agency Approval Document

English