



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Mounting**

Connector Hardware Accessory Type: **Bolster Assembly**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **100 °C**

Operating Temperature Range: **-25 – 100 °C [-13 – 212 °F]**

Features

Product Type Features

Hardware Accessory Function	Mounting
Connector Hardware Accessory Type	Bolster Assembly

Body Features

Insulator Material	Polycarbonate Film Plus Acrylic Adhesive Layer
Primary Product Material	Stainless Steel

Usage Conditions

Operating Temperature (Max)	100 °C
Operating Temperature Range	-25 – 100 °C[-13 – 212 °F]

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)




Candidate List Declared Against: JAN 2022 (223)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1-2324271-6
LEFT SEGMENT LGA4189-5 SOCKET-P5 FOR ODM




TE Part # 1-2324271-8
LEFT SEGMENT LGA4189-5 SOCKET-P5 FOR ODM




TE Part # 1-2332283-3
LGA4189-5 SOCKET P5 KIT FOR ODM (30U AU)



TE Part # 1-2324271-7
RIGHT SEGMENT LGA4189-5 SOCKETP5 FOR ODM



TE Part # 1-2332283-4
LGA4189-5 SOCKET P5 KIT FOR ODM (15U AU)



TE Part # 1-2324271-5
RIGHT SEGMENT LGA4189-5 SOCKETP5 FOR ODM

Customers Also Bought






TE Part #CAT-P592-SP118
PIDG Spade Tongue Terminals



TE Part #7-338069-6
MICRO-MATCH SMD FTE



TE Part #794955-3
VAL-U-LOK PIN PHBZ SN 22-18AWG



TE Part #1630186-3
HSA50 R75 5%



TE Part #6-1676966-3
SMW2 39R 5%



TE Part #1757820-5
AMPLIMITE,ASY,RCPT,STD,109,ZN,5



TE Part #2304168-1
4P MATE-AX, HDR ASSY,90 DEG,COD A



TE Part #2320201-1
MATENET,1-PORT,90DEG,HDR ASSY, COD A

Documents

Product Drawings

SOCKET P5 BOLSTER PLATE ASSY, W/O COVER

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-2330550-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-2330550-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-2330550-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

LGA 4189 Socket and Hardware

English

1-1773982-5-lga_4189_flyer_cn

English

Product Specifications

Application Specification

English

