



TE Internal #: 2358996-2
Receptacle Terminal, 18 – 20 AWG, .75 – .5 mm² Wire, 15.6 mm [.615 in] Length, Closed Barrel, Gold Plating, Bag/Box, Round, Stranded Wire
[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Receptacle Terminal**
Wire Size: **.75 – .5 mm²**
Barrel Inside Diameter: **1.1 mm [.043 in]**
Barrel Type: **Closed**

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
------------------------------------	----------

Contact Features

Contact Fabrication	Solid
Crimp Wire Terminal Type	Receptacle Terminal
Barrel Type	Closed
Terminal Plating Material	Gold
Contact Shape & Form	Round
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	.75 – .5 mm ²
Barrel Inside Diameter	1.1 mm[.043 in]
Terminal Material Thickness	.2 mm[.079 in]
Overall Product Length	15.6 mm[.615 in]



Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------

Packaging Features

Packaging Method	Bag/Box
------------------	---------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (4% in 74024580) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

- Product Drawings

FEMALE CONTACT, AWG 18-20

English
- CAD Files

3D PDF

3D
- Customer View Model

ENG_CVM_CVM_2358996-2_A.2d_dxf.zip

2358996-2

Receptacle Terminal, 18 – 20 AWG, .75 – .5 mm² Wire, 15.6 mm [.615 in] Length, Closed Barrel, Gold Plating, Bag/Box, Round, Stranded Wire



English

Customer View Model

[ENG_CVM_CVM_2358996-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2358996-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Application Specification

English