

GELWRAP-18/4-350UL(B6) ✓ ACTIVE

RAYCHEM | RAYCHEM GelWrap


TE Internal #: CB2023-000

1 kV, Splice Closure, 18 mm [.708 in] Cable Diameter, Semi-Flexible, Cable Ties, Round Wall, 350 mm [14 in] Length, RAYCHEM GelWrap, Power Cable Wraps

[View on TE.com >](#)



Energy & Power > Power Cable Accessories > Power Cable Wraps



Voltage Class: 1 kV

Power Cable Wrap Product Type: Splice Closure

Compatible Cable Diameter (Max): 18 mm [.708 in]

Compatible Cable Diameter (Min): 4 mm [.15 in]

Flexibility: Semi-Flexible

Features

Product Type Features

Power Cable Wrap Product Type	Splice Closure
Wall Style (Excluding Adhesive)	Round
Installation Technology	Gel

Electrical Characteristics

Voltage Class	1 kV
---------------	------

Body Features

Flexibility	Semi-Flexible
-------------	---------------

Mechanical Attachment

Mechanical Reinforcement	Cable Ties
--------------------------	------------

Dimensions

Compatible Cable Diameter (Max)	18 mm[.708 in]
Compatible Cable Diameter (Min)	4 mm[.15 in]
Product Length	350 mm[14 in]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

GELWRAP-18/4-350UL(B6)

1 kV, Splice Closure, 18 mm [.708 in] Cable Diameter, Semi-Flexible, Cable Ties, Round Wall, 350 mm [14 in] Length, RAYCHEM GelWrap, Power Cable Wraps




EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # C42628-000
GELWRAP-18/4-200(B6)-DE




TE Part # 971920-000
GELWRAP-18/4-250(B6)



TE Part # CB2011-000
GELWRAP-18/4-200UL(B6)



TE Part # CB2019-000
GELWRAP-18/4-250UL(B6)




TE Part # D83074-000
GELWRAP-18/4-300(B6)

Also in the Series | RAYCHEM GelWrap

GELWRAP-18/4-350UL(B6)

1 kV, Splice Closure, 18 mm [.708 in] Cable Diameter, Semi-Flexible, Cable Ties, Round Wall, 350 mm [14 in] Length, RAYCHEM GelWrap, Power Cable Wraps



Power Cable Wraps(24)

Customers Also Bought



TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT



TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts




TE Part #DT06-2S
PLG, 2P, GRY, N



TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #CAT-D487-W416
Wedgelocks: DEUTSCH DT



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM,
CONNECTOR HOUSING

Documents

Product Drawings

GELWRAP-18/4-350UL(B6)

English

Datasheets & Catalog Pages

GELWRAP-WRAPAROUND-SLEEVE-CABLE-ACCESSORIES

English

Agency Approvals

UL Report

English