




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **1.31 – 2.08 mm²**

Terminal Orientation: **Straight**

Contact Base Material: **Brass**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Product Length	17.65 mm[.695 in]
----------------	-------------------

Terminal Material Thickness	.51 mm[.02 in]
Wire Size	1.31 – 2.08 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance






For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 962907-2 FLACHSTECK 4,8 SPEZ	 TE Part # 61280-1 BUTTON CONTACT 20-16 AWG BR	 TE Part # 7-2150671-7 OC-140F-CRIMPTOOLINGKIT	 TE Part # 1438246-2 SPLICE, BUTT, HEATER WIRE 18-16AWG PTPBR
 TE Part # 1438246-1 SPLICE, BUTT, HEATER WIRE 18-16 AWG BR	 TE Part # 1217440-8 STRAIN RELIEF,SPECIAL PH BRZ	 TE Part # 61248-1 TAB INSULATION PIERCING 20-18 AWG TPCUBR	 TE Part # 1217881-1 250 FUSE RCPT 020PTPBR
 TE Part # 63271-1 COIL TERMINAL TERMINAL 24-20 AWG PTPBR	 TE Part # 61684-3 SPECIAL TAB TAB TNSL WIRE GPBR	 TE Part # 63723-2 RCPT TWISTLOK 20-16 0255 TPPHBZ	 TE Part # 61684-5 SPECIAL TAB TAB TNSL WIRE NTPBR

Customers Also Bought

 TE Part #214014-E SRCA 1,27 8 M 1 SMD 137 E1 094 * GURT *	 TE Part #HDP24-24-47SE REC, 47P, BLK, E, 16/20, S	 TE Part #5260010007 TC-CAPS-4001-9	 TE Part #20011957-01 TSYS03 TEMP SENSOR XDFN6 1.5X1.5MM I2C
 TE Part #206430-2 CPC 11-4 Free Hanging Receptacle	 TE Part #1-206763-2 METRIMATE PIN HEADER ASSY,24P	 TE Part #964269-2 TAB A 1.6x0.6 CONTACT CF SWS Sn	 TE Part #6-2176526-7 3503G 2B 249R 1% 5K RL



TE Part #6-2176527-8
[3503G 2B 2K74 1% 5K RL](#)



TE Part #6-2176554-7
[3430 A2 1% 510R 100ppm 1k RL](#)

Documents

Product Drawings

[FUSE TERMINAL RECEPTACLE 16-14 AWG TPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_40626_AG_c-40626-ag.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_40626_AG_c-40626-ag.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_40626_AG_c-40626-ag.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.