CPF-A-0805B25KE ACTIVE

NEOHM | NEOHM CPF

TE Internal #: 5-2176238-6

25K ohm, Thin Film, Precision Resistor, .1 %, 0805, .1 W, ±25 ppm/°

C, Solder, 2 Terminations, .55 mm [.022 in] Height, NEOHM CPF

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Element Type: **Thin Film**Package Size Code: **0805**

Power Rating: .1 W

Resistance Value: $25K \Omega$

Features

Product Type Features

Froduct Type reatures	
Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0805
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	100 V
Power Rating	.1 W
Resistance Value	25Κ Ω
Resistance Class	$1k\Omega - 1M\Omega$
Passive Component Tolerance	.1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder

2

Number of Terminations



Dimensions

Product Height	.55 mm[.022 in]
Product Length	2 mm[.079 in]
Product Width	1.25 mm[.049 in]

Usage Conditions

Operating Temperature Range	-55 – 155 °C[-67 – 311 °F]
Temperature Coefficient	±25 ppm/°C
Industry Standards	

Packaging Features

Moisture Sensitivity Level

Packaging Method	Taped & Reeled

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach




Compatible Parts





Also in the Series | NEOHM CPF



Customers Also Bought

















25K ohm, Thin Film, Precision Resistor, .1 %, 0805, .1 W, ±25 ppm/°C, Solder, 2 Terminations, .55 mm [.022 in] Height, NEOHM CPF



TE Part #13084-37-37S-5020

PLUG ASSY

TE Part #ZPF00000000105213 DTS 20 W 25-61 UN-A957

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-2176238-6_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-2176238-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-2176238-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Automotive Grade Thin Film Chip Resistor - Type CPF-A Series

English