CHAMP | CHAMP Docking Connectors

TE Internal #: 5229912-4

TE Internal Description: KIT, PLUG,50 POS,B SLOT, C/LOK

View on TE.com >



Connectors > D-Shaped Connectors



Number of Positions: 50

Connector & Housing Type: Plug

Connector System: Cable-to-Board, Cable-to-Cable

Connector Mounting Type: Cable Mount (Free-Hanging)

Centerline (Pitch): 2.16 mm [.085 in]

Features

Product Type Features

Connector Product Type	Connector Kit
Connector & Housing Type	Plug
Connector System	Cable-to-Board, Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire, Round Jacketed Cable
Number of Rows	2
Number of Positions	50

Body Features

Connector Profile	Standard	
-------------------	----------	--

Contact Features

Contact Underplating Material	Palladium Nickel
Contact Mating Area Plating Material	Gold or Gold Flash
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Current Rating (Max)	.5 A, 1 A

Mechanical Attachment

Mating Retention	With
Mating Retention Type	Screwlocks



Thread Size	4-40 UNC 2B
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Polyphenylene Oxide
Centerline (Pitch)	2.16 mm[.085 in]
Dimensions	
Accepts Cable Insulation Diameter Range	8.89 – 10.8 mm[.35 – .425 in]
Stranded Wire Size	.33 mm ²
Solid Wire Size	.13 – .32 mm²
Accepts Cable Diameter (Max)	10.8 mm[.425 in]
Compatible Insulation Diameter (Max)	1.14 mm[.045 in]
Wire Size	26 – 24 AWG
Usage Conditions	
Operating Temperature Range	-40 – 75 °C[-40 – 167 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Packaging Features	
Packaging Method	Bag

Product Compliance

Packaging Quantity

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Also in the Series | CHAMP Docking Connectors



Connector Caps & Covers(27)



Connector Hardware (26)



Connector Strain Relief(2)



Docking Connectors(19)



IDC D-Sub Connectors(41)




Panel Mount D-Sub Connectors(5)

Customers Also Bought



DEUTSCH DTM Housings





















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5229912-4_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5229912-4_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5229912-4_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.