

MEAS | MEAS MS4525

TE Internal #: 4525-SS5A030GP

Analog Pressure Sensor Modules, Gauge, 2.068 bar [30 psi], 10 -

90% Vdc, ±0.25% Span Pressure Accuracy, 5 V Supply Voltage

Range, MEAS MS4525

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > PCB MOUNTED ANALOG PRESSURE SENSOR



Pressure Sensor Type: Analog Pressure Sensor Modules

Pressure Type: Gauge

Proof Pressure Range: 300 psi
Pressure: 2.068 bar [30 psi]

Output Signal Type: 10 - 90% Vdc

All PCB MOUNTED ANALOG PRESSURE SENSOR (0)

Features

Product Type Features

| Troduct Type realures | |
|-----------------------------|--------------------------------|
| Leg Style | Through Hole |
| Sensor Package | 8 pin DIL |
| Pressure Sensor Type | Analog Pressure Sensor Modules |
| Pressure Type | Gauge |
| Electrical Characteristics | |
| Supply Voltage Range | 5 V |
| Dimensions | |
| Product Width | 17.4 mm[.685 in] |
| Product Length | 12.7 mm[.5 in] |
| Product Height | 11.7 mm[.46 in] |
| Usage Conditions | |
| Pressure | 2.068 bar[30 psi] |
| Operating Temperature Range | -25 – 105 °C[-13 – 221 °F] |

300 psi

Operation/Application

Proof Pressure Range



| Output Signal Type | 10 - 90% Vdc |
|---------------------------|-----------------|
| Pressure Accuracy | ±0.25% Span |
| Packaging Features | |
| Sensor Port Configuration | Single Sideport |
| Other | |
| Sensor Options | No Option |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






TE Part # CAT-BLPS0041 PCB MOUNTED ANALOG PRESSURE **SENSOR**



Also in the Series | MEAS MS4525



Customers Also Bought




























Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4525-SS5A030GP_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4525-SS5A030GP_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4525-SS5A030GP_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Data sheet

English