




Connectors > Pluggable IO Connectors & Cages > OSFP Cage Assembly: EMI Springs



Pluggable I/O Product Type: **Cage Assembly**

Sealable: **No**

Operating Temperature Range: **-55 – 85 °C [-67 – 185 °F]**

Number of Positions: **240**

Number of Ports: **4**

[All OSFP Cage Assembly: EMI Springs \(11\)](#)

Features

Product Type Features

Cage Type	Ganged
Pluggable I/O Product Type	Cage Assembly
Sealable	No
Form Factor	OSFP

Configuration Features

Number of Positions	240
Number of Ports	4
Port Matrix Configuration	1 x 4

Mechanical Attachment

PCB Mounting Style	Through Hole - Press-Fit
--------------------	--------------------------

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
-----------------------------	---------------------------

Other

--	--



Included Lightpipe	No
EMI Containment Feature Type	Internal/External EMI Springs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2325080-5
LIGHTPIPE ASSEMBLY, OSFP



TE Part # 2324698-1
DUST PLUG, OSFP




TE Part # 2325080-4
LIGHTPIPE ASSEMBLY, OSFP




TE Part # 2317857-2
DUST AND EMI PLUG, PLATED, OSFP






TE Part # CAT-P65-N49
OSFP Connector Assembly: Surface Mount



TE Part # 2325080-6
LIGHTPIPE ASSEMBLY, OSFP

Customers Also Bought



TE Part #6-87756-8
MOD IV RECP LP




TE Part #1-1337445-0
BNC Str PCB Skt 50Ohm Silver P



TE Part #2-1625890-7
2W SM M/OX 5% 1R0



TE Part #3-1625958-4
HB01RE 500M 1% 100PPM



TE Part #5-1814832-2
SMA Str PCB Skt GZD




TE Part #1-1879074-6
THS15 10R 5%



TE Part #1888247-1
20 POS SMT CONN, SFP/SFP+, 30A



TE Part #2007198-1
SFP+ 1x1 Cage Assembly, Press-



TE Part #2-2176453-4
CPF 0201 10K 0.1% 25ppm 1K RL



TE Part #2354751-1
CAGE ASSEMBLY, QSFP-DD 1X1, SPRING, TB

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2338495-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2338495-1_B.3d_igs.zip

English



Customer View Model

[ENG_CVM_CVM_2338495-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[OSFP Cages, Connectors, and Cable Assemblies \(English\)](#)

English

Product Specifications

[Application Specification](#)

English