




PIDG

TE Internal #: 165049

Wire Pin Terminal, Yellow, 2.6 mm [.102 in] Pin Diameter, 12 – 10
AWG, 2.62 – 6.64 mm² Wire, 5180 – 13100 CMA, 29.08 mm [1.145 in]
Length, PIDG

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules > PIDG Formed Wire Pins



Crimp Wire Terminal Type: **Wire Pin Terminal**
Mating Pin Diameter: **2.6 mm [.102 in]**
Compatible Insulation Diameter Range: **6.3 mm [.25 in]**
Wire Size: **2.62 – 6.64 mm²**

[All PIDG Formed Wire Pins \(6\)](#)

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Sleeve Material	Nylon
Insulation Material	Nylon
Primary Product Color	Yellow

Contact Features

Contact Mating Area Length	10 mm[.39 in]
Contact Fabrication	Stamped & Formed
Crimp Wire Terminal Type	Wire Pin Terminal



Mating Pin Diameter	2.6 mm[.102 in]
Barrel Type	Closed
Terminal Plating Material	Tin
Contact Shape & Form	Round
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

DIN Wire Size	2.62 – 6.64 mm²
Compatible Insulation Diameter Range	6.3 mm[.25 in]
Wire Size	5180 – 13100 CMA
Barrel Inside Diameter	6.4 mm[.253 in]
Terminal Material Thickness	.99 mm[.039 in]
Overall Product Length	29.08 mm[1.145 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY

TE Part # 59239-4
HHHT PIDG PG 12-10 ASSY

TE Part # 539691-2
ERGO DIE R.B.Y

TE Part # 169404
CERTI-LOK DIE

TE Part # 2063030-1
SDE DIESET, RBY, UL

TE Part # 169400
CERTI-LOK FRAME W/O DIES

TE Part # 47808-6
DIES PIDG 12-10 DIE SET


TE Part # 58423-1
DIE, RBY IS9252

TE Part # 58433-3
PRO CR ASSY, RBY IS9252

Also in the Series | PIDG



Compression Connectors(50)



Crimp Wire Pins, Tabs & Ferrules(39)




Knife Disconnects(11)



Quick Disconnects(38)



Ring Terminals(589)



Spade Terminals(228)



Special Purpose Terminals(1)




Splices(41)

Customers Also Bought



TE Part #86-300G-C
300 PSIG CABLE CONN MV
PRESSURE SENSOR



TE Part #EEA001N00000002000
615 ITEC RECEPTACLE



TE Part #800533-SF
FN402-1.6-02



TE Part #T4111012021-000
M12 M, 2P GOLD A_CODE S
SHIELDED PG9




TE Part #131445
PG, WIRE TAB, 12-10



TE Part #499252-6
034 STRAIN RELIEF A-L RCPT




TE Part #640718-1
15P UMNL STR/REL



TE Part #926657-5
5P LOCKG CLIP GEH



TE Part #5-1623932-7
CFR50 5% 220K



TE Part #1-350779-1
04P UMNL V0 PLUG HSG BROWN

Documents



Product Drawings

TERM, WIRE PIN, PIDG, 12 - 10, -ASI

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_165049_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_165049_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_165049_J.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_165049_G.3d_igs.zip

English

Customer View Model

ENG_CVM_165049_G.3d_stp.zip

English

Customer View Model

ENG_CVM_165049_G.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PIDG TERMINALS & SPLICES Quick Reference Guide

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English