




Wire Protection & Management > Cable Conduit



Primary Product Material: **Crosslinked Fluoropolymer**

Fluid Resistance Type: **Chemicals/Solvents, De-Icing Fluid, Diesel Fuel, Hydraulic Fluid, Jet Fuel, Lubricating Oil, Water**

Operating Temperature Range: **-55 – 200 °C [-67 – 392 °F]**

Product Length: **60 m [197 ft]**

Features

Body Features

Primary Product Material	Crosslinked Fluoropolymer
--------------------------	---------------------------

Dimensions

Product Length	60 m[197 ft]
----------------	--------------

Usage Conditions

Fluid Resistance Type	Chemicals/Solvents, De-Icing Fluid, Diesel Fuel, Hydraulic Fluid, Jet Fuel, Lubricating Oil, Water
Operating Temperature Range	-55 – 200 °C[-67 – 392 °F]

Packaging Features

Packaging Method	Spool
------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen



requirements	
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 657863-000 S1125-KIT-8	TE Part # 878462-000 S1125-KIT-1	TE Part # 931156-000 S1125-KIT-4	TE Part # 583393-000 S1125-KIT-5

Customers Also Bought

TE Part #0999094004 HCTE-0375-0-SP	TE Part #CAT-R21-731072 Bulbous Heat Shrink Boots: Lipped, Straight	TE Part #766146-000 D-150-0170	TE Part #5172334004 HCTE-0281-0-SP
TE Part #0638514002 HCTE-0312-0-SP	TE Part #ES4050402BGM ES4050402BGM=RELAY	TE Part #987481-000 55PC2131-22-3/6/9-9CS2675	TE Part #580249-000 55PC0211-22-9CS2600



Documents

Product Drawings

HCTE-0437-0-SP

English

Datasheets & Catalog Pages

1654025_Sec3_HCTE

English

Harness Repair Products Quick Reference Guide

English

Product Specifications

Product Specification

English

Helical Convolex Tubing HCTE Ethylene Tetrafluoroethylene, Modified, Radiation-Crosslinked

English