

CII

TE Internal #: 6-1618386-9 1 Form A (NO), 3.8 – 32 VDC Input, 250 Vrms Output, 10 A Contact Rating, DC Output, Panel Mount

View on TE.com >



Relays & Contactors > Solid State Relays



Contact Arrangement: 1 Form A (NO)

Input Voltage: 3.8 – 32 VDC

Output Voltage Rating: 250 Vrms Contact Current Rating: 10 A Output Current Type: DC

Features

Configuration Features	
Contact Arrangement	1 Form A (NO)
Electrical Characteristics	
Contact Voltage Rating	250 VAC
Input Voltage	3.8 – 32 VDC
Output Voltage Rating	250 Vrms
Contact Current Rating	10 A
Body Features	
Enclosure Type	Hermetically Sealed
Termination Features	
Relay Connection Type	Terminals
Terminal Configuration	Screw Terminals
Mechanical Attachment	
Product Mounting Feature Type	Mounting Hole
Product Mount Type	Panel Mount
Dimensions	
Product Length	50.8 mm[2 in]
Product Width	25.4 mm[1 in]



Product Height	22.9 mm[.889 in]
Usage Conditions	
Operating Temperature Range	-55 – 95 °C[-67 – 203 °F]
Operation/Application	
Shock Resistance	100G's, 6ms
Output Current Type	DC
Packaging Features	
Packaging Method	Tray/Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (6% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 1617827-5 1621-C-0700 = 1600 FIXED OPERA



TE Part # 2-1617827-1 1440-1c=PHASE SENSOR



TE Part # 2-1617070-7 1621-C-2001 = 1600 FIXED OPERA



TE Part # 3-1618400-8 DS11-1005T=SOLID STATE RELAY










/250VAC

Customers Also Bought



TE Part #D369-R66-NS1



TE Part #916219-000










A1077B (FAA/PMA)=RELAY









Documents



Product Drawings

PS12-1Y = SOLID STATE RELAY, 10A/250VAC

English

Datasheets & Catalog Pages

5-1773450-5_sec10_PS12

English