




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Facial Seal**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Primary Product Color: **Natural**

Primary Product Material: **Silicone**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Facial Seal
----------------------------	-------------

Body Features

Primary Product Color	Natural
Primary Product Material	Silicone

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	10000

Other

Contains Lubricant	No
--------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-967601-1
MESSERLEISTE3,0 10P




TE Part # 929178-1
FLACHSTE-GEH2,8 10P



TE Part # CAT-T4827-CH8172
Timer Connector Housing

Also in the Series | Timer Connector System




Automotive Connector Caps & Covers (12)



Automotive Signal & Power Connector Housings(136)



Automotive Signal & Power Headers(6)



Automotive Terminals(110)




Other Automotive Connector Accessories(1)



Quick Disconnects(4)


Customers Also Bought



TE Part #347707-1
0.5MM CABLE SEAL HC SILIC



TE Part #CAT-T4827-CH8172
Timer Connector Housing



TE Part #963225-1
DICHTUNG F 42P GEH



TE Part #2371017-1
2POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part #CAT-LMPH9507
Low & Medium Power Header

Documents

Product Drawings
DICHTUNG F 962352

English

CAD Files
3D PDF

English

Customer View Model
ENG_CVM_963213-1_C.2d_dxf.zip

English

Customer View Model
ENG_CVM_963213-1_C.3d_igs.zip

English

Customer View Model
ENG_CVM_963213-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Product Specifications

Product Specification

French

Instruction Sheets

CONNECTEURS JPT ETANCHES A ETRIER POUR CONNEXIONS FIL A FIL PRECONISAT

English

Instruction Sheet (non U.S.)

English