

TE Internal #: 1544210-2

Single-In-Line (SIL), 2.54 mm [.1 in] Centerline, Pre-Tin, Leadframes

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Leadframes



Leadframe Type: Single-In-Line (SIL)
Centerline (Pitch): 2.54 mm [ .1 in ]

PCB Thickness (Accepted): 1.6 mm [.063 in]

Standoff Height: 1.7 mm [.067 in]

Leadframe Hold-Down Feature: Without

#### **Features**

### **Product Type Features**

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Leadframe Type	Single-In-Line (SIL)

### **Configuration Features**

Winding Direction	Right	

# **Body Features**

Leadframe Clip Length	1.8 mm[.071 in]
Leadframe Thickness	.25 mm[.01 in]
Leadframe Clip Type	Y1
Leadframe Width	18.1 mm[.712 in]
Leadframe Hold-Down Feature	Without

#### **Contact Features**

Contact Base Material	Phosphor Bronze
Leadframe Pin Length	8.6 mm[.338 in]
Leadframe Plating Material	Pre-Tin

#### **Termination Features**

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

#### **Mechanical Attachment**

Connector Mounting Type	Board Mount	
-------------------------	-------------	--



#### **Housing Features**

Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Leadframe Gap Size	1.38 mm[.054 in]
PCB Thickness (Accepted)	1.6 mm[.063 in]
Standoff Height	1.7 mm[.067 in]
Packaging Features	
Packaging Quantity	25000

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





# Customers Also Bought





















## **Documents**

Product Drawings
CTS 2180 ETAME

English

**CAD Files** 

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1544210-2\_A\_c-1544210-2-a.2d\_dxf.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_1544210-2\_A\_c-1544210-2-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1544210-2\_A\_c-1544210-2-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.