




Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Keying Plug**
Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**
Primary Product Color: **Yellow**
Primary Product Material: **PBT GF30**
Operating Temperature (Max): **125 °C [257 °F]**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Keying Plug
----------------------------	-------------

Body Features

Primary Product Color	Yellow
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Other

--	--



Contains Lubricant	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-D48-PCH8172
DEUTSCH DTHD Housings




TE Part # DRCP28-86SB
PLG, 86P, BLK, 12/20, B



TE Part # CAT-H3910-CH8172
DEUTSCH HD10 Housings



TE Part # HDP24-24-21PE-9974
REC, 21P, BLK, E, 12/16, P



TE Part # HDP24-24-14SN-L015
REC, 14P, BLK, N, THD, 4/12/16, S



TE Part # CAT-D486-CH8172
DEUTSCH DTP Housings




TE Part # DRCP28-86SA
PLG, 86P, BLK, 12/20, A



TE Part # DRCP24-86PA
REC, 86P, BLK, 12/20, A



TE Part # HDT-04-08
CRIMP TOOL, HDT-04-08



TE Part # 2301337-1
HDP24-24-91PE-P064, REC, 9P, E, 8/12/16, P



TE Part # CAT-D799-CH8172
DEUTSCH DRC Housings



TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # DRCP28-86SC
PLG, 86P, BLK, 12/20, C



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



TE Part # DRCP26-126SA
PLG, 126P, BLK, 12/20, A

Also in the Series | **DEUTSCH HD**



Automotive Housings(453)



Automotive Seals & Cavity Plugs(11)



Connector Strain Relief(6)



Other Automotive Connector Accessories(12)

Also in the Series | **DEUTSCH HD30**




Automotive Housings(453)



Automotive Seals & Cavity Plugs(11)



Connector Strain Relief(6)



Other Automotive Connector Accessories(12)

Customers Also Bought



TE Part #0413-003-1605
SEALING PLUG, SIZE 16, BLU



TE Part #HD34-24-19PE-059
REC, 19P, AL, E, CBL CLMPBT, DRAIN, 12 / 16, P, MC




TE Part #SR1A-62
STRING POT, 62 INCH RANGE




TE Part #2-34156-1
PG SPD 22-16 COMM 22-18 MIL 10



TE Part #66425-8
III+ PIN, 30-26, 30AU/FL, STRIP



TE Part #282851-4
TERMI-BLOK PCB MOUNT 180 4P.5



TE Part #282851-5
TERMI-BLOK PCB MOUNT 180 5P.5



TE Part #4-1333296-6
CRIMPER, WIRE LOOSE PC



TE Part #3-2293551-1
62POS, MIXED, REC HSG, ASSY, SLD



TE Part #2103171-1
SHIELD, CAP, HVA280-2PHM

Documents

Product Drawings
SEALING PLUG, SIZE 12, KEYING, YEL
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_0413-214-1205_A.2d_dxf.zip



English

Customer View Model
[ENG_CVM_CVM_0413-214-1205_A.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_CVM_0413-214-1205_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications
[Application Specification](#)

English

Instruction Sheets
[Instruction Sheet \(U.S.\)](#)

English