




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Nut**

Primary Product Color: **Black**

Primary Product Material: **PBT GF15**

Operating Temperature (Max): **85 °C [185 °F]**

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Nut

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF15

Usage Conditions

Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Packaging Features

Packaging Method	Box
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 2213413-2

NECTOR M CABLE RING NUT, 11-14MM

Customers Also Bought



TE Part #T4171310504-001

M12,FRONT MOUNTING,FEMALE,D, 4P,0.2M WIRE



TE Part #2-35495-2

SOLIS SPD 12-10 10



TE Part #41558

RING 18-14 AWG BR




TE Part #61794-1

RING 18-14 AWG TPST




TE Part #1-480708-0
12P UMNL PLUG HSG NATL



TE Part #4-520448-2
ULTRAFAST 250 ASSY REC 12-10
TPBR LP



TE Part #1217092-2
PL 250 TERMINAL REC 16-12 AWG
TPBR



TE Part #1217114-2
187 PL MKIII REC. 18-14AWG TPBR



TE Part #2213392-1
NECTOR M PIN HOUSING, PANEL,
7P, CODE A



TE Part #1-2213266-2
NECTOR M PIN, CRIMP, 16-18 AWG

Documents

Product Drawings

NECTOR M CABLE RING NUT, 8-11MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2213413-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2213413-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2213413-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.