2-2013311-1 ACTIVE

RAYCHEM RVS

TE Internal #: 2-2013311-1

Double Data Rate (DDR) 3, 9.2 mm [.362 in] Stack Height, Right Angle Module Orientation, 204 Position, RAYCHEM RVS, SO DIMM

Sockets

View on TE.com >



Connectors > Socket Connectors > Memory Sockets > SO DIMM Sockets











DRAM Type: Double Data Rate (DDR) 3

Stack Height: 9.2 mm [.362 in]

Module Orientation: Right Angle

Number of Positions: 204

Centerline (Pitch): .6 mm [.024 in]

Features

Product Type Features

| Connector & Contact Terminates To | Printed Circuit Board |
|-----------------------------------|--------------------------|
| Connector System | Cable-to-Board |
| DRAM Type | Double Data Rate (DDR) 3 |
| Configuration Features | |
| Number of Bays | 2 |
| Number of Keys | 1 |
| Number of Rows | 2 |
| Module Orientation | Right Angle |
| Number of Positions | 204 |
| Electrical Characteristics | |
| DRAM Voltage | 1.5 V |
| Signal Characteristics | |
| SGRAM Voltage | 1.5 V |



Body Features

| Latch Plating Material | Tin |
|------------------------|-----------------|
| Latch Material | Stainless Steel |
| Module Key Type | SGRAM |
| Ejector Type | Locking |
| Ejector Location | Both Ends |
| Connector Profile | Reverse |
| | |

Contact Features

| Contact Current Rating (Max) | .5 A |
|---|--------------|
| Memory Socket Type | Memory Card |
| Contact Base Material | Copper Alloy |
| PCB Contact Termination Area Plating Material | Gold |
| Contact Mating Area Plating Material | Gold Flash |

Termination Features

| Insertion Style | Cam-In |
|---------------------------|---------------|
| Termination Method to PCB | Surface Mount |

Mechanical Attachment

| Connector Mounting Type Bo | pard Mount |
|------------------------------|--------------|
| PCB Mount Retention Type Sol | lder Peg |
| Mating Alignment Type Rev | verse Keying |
| PCB Mount Retention Win | ith |

Housing Features

| Housing Material | High Temperature Thermoplastic |
|--------------------|--------------------------------|
| Housing Color | Black |
| Centerline (Pitch) | .6 mm[.024 in] |

Dimensions

| Stack Height | 9.2 mm[.362 in] |
|--------------------|-----------------|
| Row-to-Row Spacing | 8.2 mm[.322 in] |

Usage Conditions

| Operating Temperature Range | -55 – 85 °C[-67 – 185 °F] | |
|-----------------------------|---------------------------|--|
|-----------------------------|---------------------------|--|

Operation/Application

| Circuit Application Power |
|---------------------------|
|---------------------------|



Industry Standards

| UL Flammability Rating | UL 94V-0 |
|------------------------|----------------|
| Packaging Features | |
| Packaging Quantity | 150 |
| Packaging Method | Emboss on Reel |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Reflow solder capable to 260°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | RAYCHEM RVS



Joints & Splices(4)



RJ45 Connectors(1)




SD Card Connectors(2)



SO DIMM Sockets(13)

Customers Also Bought



TE Part #1SNA356102R0300 DBTI12-BL



TE Part #292228-2 1.5 MINI CT SGL H SMT W/O BOSS



TE Part #4-640440-0 10P MTA100 CONN ASSY 22AWG RED



TE Part #1-640456-0 10P MTA100 HDR ASSY F/L SQ STR













Documents

CAD Files

Customer View Model

ENG_CVM_CVM_2-2013311-1_C.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2013311-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2013311-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English