




TE Internal #: 966066-5
Ferrule, Gray, 26 AWG, .12 – .15 mm² Wire, 278 CMA, 10 mm [.4 in]
Length, Closed Barrel, Tin Plating, Box, Discrete Wire, Stranded
Wire
[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Ferrule**
Compatible Insulation Diameter Range: 1.5 mm [.05 in]
Wire Size: 278 CMA

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Primary Product Color	Gray
-----------------------	------

Contact Features

Contact Mating Area Length	6 mm[.234 in]
Crimp Wire Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

--	--



Strip Length	8 mm[.315 in]
2-Wire Size	26 AWG
Compatible Insulation Diameter Range	1.5 mm[.05 in]
Wire Size	278 CMA
Barrel Inside Diameter	1.6 mm[.06 in]
Terminal Material Thickness	.15 mm[.005 in]
Overall Product Length	10 mm[.4 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 539660-1
ADERENDHUELSEN (Ferrule) Crimp Tool



TE Part # 2-1579001-3
CSE10-AE22 CRIMP HEAD




TE Part # 6-1579014-5
HT FOR CABLE-END SLEEVES FRONT 0,08-16

Customers Also Bought



TE Part #T4132012031-000
M12,FRONT MOUNT,MALE,A,3P, SOLDER WIRE



TE Part #229914-011
RICS-5139



TE Part #CL1172-012
CSJA-36D/1XU-1XU-M




TE Part #GA30K5A1IA
DISCRETE 30K OHMS,+/-0.1C FROM 0C TO 70C



TE Part #362579-000
202D953-25/86-0



TE Part #1614782-8
BDS 2 A 100 220R 10%



TE Part #1879009-1
SQB30 4R7 5% 6.35MM FASTON



TE Part #9-2176088-4
RP 1J 0.166W 8K45 0.1% 25PPM 1K RL



TE Part #2-2381880-4
PBES16 28 LED 6V DC 28mA 1NC 1NO



TE Part #GA30K5A416I
DISC- 30K 25'C +/- 0.1'C

Documents

Product Drawings
FER,WIRE,PL SLV, .14/26,L6,GREY,LP
English

CAD Files
3D PDF
3D



Customer View Model

[ENG_CVM_CVM_966066-5_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_966066-5_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_966066-5_C.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_966066-5_C2.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_966066-5_C2.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_966066-5_C2.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Wire Ferrules

English

WIRE END FERRULES

English

Agency Approvals

CSA Certificate

English