



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Mounting & Retention Accessories



Mounting & Retention Accessory Type: **Locking Device**

Product Length: **27.2 mm [1.071 in]**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Body Features

Product Weight	.7 g[.025 oz]
Primary Product Color	Black
Primary Product Material	Polyacetal
Mounting & Retention Accessory Type	Locking Device

Dimensions

Product Width	9.4 mm[.37 in]
Product Depth	27.2 mm[1.071 in]
Product Height	7.7 mm[.303 in]
Product Spacing	9.4 mm[.37 in]
Product Length	27.2 mm[1.071 in]

Usage Conditions


Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94HB

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)





EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 1SNK806712R0000
CDK4




TE Part # 1SNK805013R0000
ZDS4-22




TE Part # 1SNK805015R0000
ZDK2.5-11




TE Part # 1SNK805752R0000
CDK2.5-2P-J-PE-E



TE Part # 1SNK805025R0000
ZDK2.5-11-BL




TE Part # 1SNK805214R0000
ZDK2.5-D1



TE Part # 1SNK805213R0000
ZDK2.5-D2




TE Part # 1SNK805753R0000
CDK2.5-PE-E



TE Part # 1SNK805738R0000
CDK2.5-J



TE Part # 1SNK805740R0000
CDK2.5-2P-J



TE Part # CAT-ABN-SPC300025
ENTRELEC Dynamic Pluggable SNK Series



TE Part # 1SNK806010R0000
ZDK4-22



TE Part # 1SNK805742R0000
CDK2.5-BL



TE Part # 1SNK805748R0000
CDK2.5-J-PE



TE Part # 1SNK805751R0000
CDK2.5-2P-J-PE



TE Part # 1SNK805010R0000
ZDK2.5-22



TE Part # 1SNK805016R0000
ZD2.5-11



TE Part # 1SNK805741R0000
CDK2.5-2P-J-E



TE Part # 1SNK805152R0000
ZDK2.5-22-PE



TE Part # 1SNK805746R0000
CDK2.5-2P-J-BL

Customers Also Bought



TE Part #1SNK900653R0000
SC-JB8-3



TE Part #1SNK505910R0000
ES4



TE Part #1SNK908903R0000
JB8-3-R1



TE Part #1SNK908902R0000
JB8-2-R1



TE Part #1SNK508310R0000
ZS10-ST



TE Part #1SNK505010R0000
ZS4



TE Part #1SNK908904R0000
JB8-4-R1



TE Part #1SNK900630R0000
MCLH

1SNK900637R0000

Locking Device, 27.2 mm [1.071 in] Length, -55 – 110 °C [-67 – 230 °F], Terminal Block
& Strip Mounting & Retention Accessories



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900637R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900637R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900637R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

VR-ZD

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)