

Heat Shrink Tubing > Single Heavy Wall RW 200 E: Heat Shrink Tubing, 2:1 Shrink Ratio

Tubing Product Type: **Heat Shrink Tubing**Primary Product Color: **Black**Wall Type: **Single Wall**Expanded Inside Diameter (Min): **19.05 mm [.75 in]**Recovered Inside Diameter (Max): **9.5 mm [.375 in]**[All Single Heavy Wall RW 200 E: Heat Shrink Tubing, 2:1 Shrink Ratio \(12\)](#)

Features

Product Type Features

Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall

Body Features

Material Systems Code	200
Fluid Type	Aviation Fuel, Hydraulic Fluid, Lubricating Oil, Water
Primary Product Color	Black
Shrink Ratio	2:1
Primary Product Material	Crosslinked Fluoroelastomer
Flexibility	Flexible

Dimensions

Recovered Wall Thickness (Nominal)	1.7 mm [.067 in]
Expanded Inside Diameter (Min)	19.05 mm [.75 in]
Recovered Inside Diameter (Max)	9.5 mm [.375 in]
Tubing Size Range	9.5 – 19.05 mm [.375 – .75 in]

Usage Conditions

Shrink Temperature (Min)	175 °C
Tubing Flammability Type	Flame-Retardant

Operating Temperature Range	-40 – 200 °C[-40 – 392 °F]
-----------------------------	----------------------------

Recovery Temperature	175 °C
----------------------	--------

Operation/Application

Mechanical Resistance	Fluids
-----------------------	--------

Packaging Features

Packaging Method	Piece
------------------	-------

Other

Meets Low Outgassing Requirements	No
-----------------------------------	----

Product Source	UK
----------------	----

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | RAYCHEM RW-200



Heat Shrink Tubing(24)



Single Wall Tubing(24)

Customers Also Bought

TE Part #CH03642001
QSZH-125-NR4-STKTE Part #CAT-HST-CGPT2
CGPT 3:1 Heat Shrink TubingTE Part #AS112-35SN-993W
RECEP.T.CABLE COUP.TYPE 1TE Part #AS612-35PN-993V
PLUG BOOT TERMIN TYPE 6.NO
COUPLING R NOTE Part #NB10056001
ATUM-24/6-0-50MMTE Part #CB03454006
RW-200-E-1-1/2-0-SPTE Part #EM84706001
RW-200-E-3/4-0-55MMTE Part #YW324TZ09-11PB-151
RECEP ASSY.JAM NUT. PCB. Z/N.TE Part #6-1768390-9
HPR110-018013-3-GN

Documents

Product Drawings

[RW-200-E-3/4-0-SP](#)

English

Datasheets & Catalog Pages

[raychem-tubing-product-selection-guide](#)

English

[1654025_Sec3_RW-200_RW-200E](#)

English

Product Specifications

Raychem Fluoroelastomer Tubing Flexible, Fluid Resistant, Heat-Shrinkable

English