



MQS

TE Internal #: 1-967657-1
Horizontal, Wire-to-Board, 4 Position, 2 Row, 3.1mm [.122in]
Centerline, Tin (Sn), Printed Circuit Board, Signal, Black, Board Mount
[View on TE.com >](#)

Automotive Parts > Automotive Connectors > Automotive Headers > Signal Header



PCB Mount Orientation: **Horizontal**
Termination Method to PCB: **Through Hole - Solder**
Sealable: **No**
Centerline (Pitch): **3.1 mm [.122 in]**
Connector System: **Wire-to-Board**

[All Signal Header \(237\)](#)

Features

Product Type Features

Connector Product Type	Connector Assembly
Mixed & Hybrid Header	No
Header Type	Fully Shrouded
Connector Shape	Rectangular
Sealable	No
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Signal Positions	4
Number of Sections	1
PCB Mount Orientation	Horizontal
Number of Positions	4
Number of Rows	2



Electrical Characteristics

Operating Voltage	12 VDC
Nominal Voltage Architecture	12 V

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Mating Tab Width	.63 mm[.025 in]
Mating Tab Thickness	.63 mm[.025 in]
Contact Type	Tab
Contact Mating Area Plating Material	Tin (Sn)

Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

Mechanical Attachment

Panel Mount Feature	Without
Mating Retention Type	Locking Interface
PCB Mount Retention	Without
Mounting Holes	Without
PCB Mount Retention Type	Mounting Hole
Mating Alignment	With
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	3.1 mm[.122 in]
--------------------	-----------------

Dimensions

Connector Width	23.3 mm[.917 in]
PCB Thickness (Recommended)	.8 – 1.6 mm[.031 – .063 in]
Profile Height from PCB	16.55 mm[.652 in]
Connector Length	26.8 mm[1.055 in]

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]



Operation/Application

Shielded	No
Circuit Application	Signal

Packaging Features

Packaging Quantity	900
Packaging Method	Loose Piece

Other

Interface Number	114-18063-014
------------------	---------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING

TE Part # 1-968441-1
MQS ST-WANNEN-GEH4P

Customers Also Bought

TE Part #5-528491-5
CONVERSION KIT NG 2 WIRES 1 RESISTOR

TE Part #826952-2
2P MOD2 STIFT LEI

TE Part #826952-3
3P MOD2 STIFT LEI

TE Part #1241637-3
6P,TAB0.63X0.63,HDR,90DEG,SLDR, AU

TE Part #1452128-1
MQSQ,63 Sn tab LL unseal. FFC

TE Part #9-519659-9
FUEHRUNG AMBOSS

TE Part #2-523784-7
ANVIL, WIRE

TE Part #5-523784-3
CRIMPER

TE Part #8-1768424-6
LBG-U-03517/EET

TE Part #6565199-3
TC-ZIF HDR ASSY 260P SHIELD FINGER

Documents

Product Drawings
4P,TAB0.63X0.63,HDR,90DEG,SLDR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1-967657-1_C.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_1-967657-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-967657-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

German