

DS11-1000

✓ ACTIVE

CII | Kilovac DP11

TE Internal #: 1617069-1

DC Input Solid State Relay, 1 Form A (NO), 3.8 – 32 VDC Input, 60 VDC Output, 2 A Contact Rating, DC Output, Board Mount, Kilovac DP11

[View on TE.com >](#)



Relays & Contactors > Solid State Relays



Contact Arrangement: 1 Form A (NO)

Input Current Type: DC

Input Voltage: 3.8 – 32 VDC

Output Voltage Rating: 60 VDC

Contact Current Rating: 2 A

Features

Configuration Features

Contact Arrangement	1 Form A (NO)
---------------------	---------------

Electrical Characteristics

Insulation Initial Dielectric Between Contacts & Coil	1000 Vrms
Contact Voltage Rating	60 VDC
Input Voltage	3.8 – 32 VDC
Output Voltage Rating	60 VDC
Contact Current Rating	2 A

Body Features

Device Package Style	DIP
Enclosure Type	Hermetically Sealed

Termination Features

Relay Connection Type	PCB Termination
Terminal Configuration	Solder Pins

Mechanical Attachment

Product Mount Type	Board Mount
--------------------	-------------

Dimensions

Product Length	22.6 mm[.89 in]
----------------	-----------------



Product Width	13.46 mm[.529 in]
Product Height	4.82 mm[.19 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Shock Resistance	50G's, 11ms
Input Current Type	DC
Output Current Type	DC

Packaging Features

Packaging Method	Tray/Box
------------------	----------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 1-1617069-0
DS9-1W=DS9 DIP SOLID STATE RELAY

TE Part # 1617069-2
DS11-1002 = DS11 SOLID STATE D

Also in the Series | Kilovac DP11

Solid State Relays(4)

Customers Also Bought

TE Part #BAG0012-00
MBMMD-UGSMS0-08-20-1-C-H

TE Part #52274
TERMINAL,PIDG R IR 16 4

TE Part #87224-2
02 MODII HDR SRST UNSHRD .100

TE Part #87227-4
08 MODII HDR DRST UNSHRD .100

TE Part #87227-6
12 MODII HDR DRST UNSHRD .100


TE Part #207153-1
6 POS SQ GRID METRIMATE-RCPT

TE Part #2-327952-2
TERMINAL,PIDG RECT 16-14 5

TE Part #534650-9
BOX RECP 110 POS STAG SEALED

DS11-1000

DC Input Solid State Relay, 1 Form A (NO), 3.8 – 32 VDC Input, 60 VDC Output, 2 A Contact Rating, DC Output, Board Mount, Kilovac DP11



Documents

Product Drawings

[DS11-1000 = DS11 SOLID STATE D](#)

English