TE Internal #: 487223-6

Housing, Wire-to-Board, 24 Position, 2.54 mm [.1 in] Centerline, 2

Row, Socket, Package, Normal, Straight, Black, FFC Connectors

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > 2.54mm FFC Connectors Receptacle Housing



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 24

Centerline (Pitch): 2.54 mm [.1 in]

Number of Rows: 2

All 2.54mm FFC Connectors Receptacle Housing (143)

Features

Product Type Features

Connector & Contact Terminates To V	Wire & Cable
Connector & Housing Type	Receptacle
FFC Connector Product Type	Housing
Connector System V	Wire-to-Board
Insertion Force Type	Vormal

Configuration Features

Number of Positions	24
Number of Rows	2

Electrical Characteristics

Operating Voltage	300 VAC
Insulation Resistance	5000 ΜΩ
Dielectric Withstanding Voltage (Max)	720 VAC

Body Features

Primary Product Color	Black	

Contact Features

Contact Type	Socket

Mechanical Attachment



Mating Alignment Type	Polarization
Mating Retention	Without
Mating Alignment	With
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]
FFC Cable Entry	Straight
Dimensions	
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Package



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-F439-S01339254
2.54mm FFC Connectors Socket
Contacts



TE Part # CAT-AM74-UN384H
AMP-LATCH UNIVERSAL HEADERS



TE Part # 103310-5 020 LOPRO HDR RA 15DP



TE Part # 103311-5 020 LOPRO HDR RA 30DP



TE Part # 103309-5 020 LOPRO HDR SP 30DP




TE Part # 103308-5 020 LOPRO HDR SP 15DP



TE Part # CAT-F439-P65127 FFC Connector Pin Contacts, 1.27 mm



TE Part # CAT-F439-S01339127 1.27mm FFC Connectors Socket Contacts













Customers Also Bought







Documents

Product Drawings

024 HOUSING FFC RCPT 100CL DR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_487223-6_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_487223-6_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_487223-6_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Extraction Tools

Housing, Wire-to-Board, 24 Position, 2.54 mm [.1 in] Centerline, 2 Row, Socket, Package, Normal, Straight, Black, FFC Connectors



English

Agency Approvals

Agency Approval Document

English