




TE Internal #: 36965
Purple, Closed End Splice, 22 – 10 AWG, .3 – 6 mm² Wire, 3248 – 13100 CMA, Fully Insulated, Serrated, Copper, 28.58 mm [1.125 in] Length, Loose Piece
[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Closed End Splice**
Wire Size: **.3 – 6 mm²**
Sealable: **No**
Splice Features: **Serrated**

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Product Weight	1.678 g
Splice Features	Serrated
Primary Product Color	Purple

Contact Features

Terminal Plating Material	Tin
Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	3248 – 13100 CMA
Compatible Insulation Diameter Range	7.92 mm[.312 in]
Product Length	28.58 mm[1.125 in]

Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Identification Marking

Splice Marking	VS
----------------	----

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 217212-2
PRO-CR DIE, CES



TE Part # 48208
DAHT CLOSED END SPLICES 22-10 ASSY




TE Part # 45219-2
DAHT AMP CLOSED END SPLICES 22-10 ASSY




TE Part # 217212-1
PRO-CR ASSY, CES


Customers Also Bought



TE Part #601155-000
D-621-0012




TE Part #1SNA166763R0200
PC-E-VA



TE Part #EC9894-000
ZHD-SCE-1K-3.2-50-9



TE Part #364094-E
DRCBTB 1,27 12 M BTB20 18,2 137 * 094 TR



TE Part #1SNA166647R0600
CPP-1



TE Part #359434-000
SO63-4-00



TE Part #62898-1
MAG-MATE POKE-IN TAB 020 TPBR



TE Part #207359-1
RECEPT HSG,3 POSN,METRIC



TE Part #2176506-1
CJP 150W 6R8 5% Lead



TE Part #1-2176507-4
CJP 200W 6R8 5% Lead

Documents

Product Drawings

SPLICE,CE 22-10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_36965_AJ.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_36965_AJ.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_36965_AJ.3d_stp.zip

English

3D PDF

English

Customer View Model

ENG_CVM_36965_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_36965_R.3d_igs.zip

English

Customer View Model

ENG_CVM_36965_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English

UL Report

English