

*

Vol. 20 Sec. 6

Vol. 39 Sec. 1

Vol. 47 Sec. 3

and Report

DESCRIPTION

PRODUCT COVERED:

Component Connectors - Economy Interconnection (E.I.) System.

GENERAL:

These devices are multipole connectors with crimp terminals intended for connection of single conductors for use with printed wiring boards.

ENGINEERING CONSIDERATIONS (NOT FOR UL REPRESENTATIVE USE):

Use - For use only in complete equipment where the acceptability of the combination is determined by Underwriters Laboratories Inc.

Conditions of Acceptability - In order to be judged acceptable as a component of electrical equipment, the following conditions should be met.

1. These devices should be used only where they will not interrupt the current.
2. These devices have not been tested for current-carrying capability.
3. The suitability of the mounting means shall be judged in the end-

If these devices within the appliance enclosure should be between the live parts and the appliance are suitable for the particular application.

5. The adjacent poles may carry currents at potentials not exceeding 250 V between any two circuits provided with a min spacing of 3/64 in. Voltages in excess of 250 V but not exceeding 600 V may be considered where the spacings between adjacent live circuits or a live circuit and dead metal is a min of 1/8 in.

6. The electrical and mechanical contact between the receptacle and the printed wiring board is to be judged.

7. The suitability of the insulating materials used in the molded bodies shall be judged in the end-use equipment.

8. The operating temperature of these devices should not exceed the temperature ratings of the insulating materials. These materials may be used interchangeably at a max temperature of 65°C.

File E28476

Vol. 4 Sec. 9

Page 2A

Issued: 1978-05-19

Revised: 2003-02-12

*

Vol. 20 Sec. 6

Vol. 39 Sec. 1

Vol. 47 Sec. 3

and Report

Index to Illustrations - The following is a breakdown of the cat. nos.
covered by this Report. They can be found in the illustrations noted below.

Cat. No.	Ill. No.
171822	1 and 7
171825	2
172732, 172800	2A
173051	2B
171826	3
170262	4
170263	5
170204, 170205, 722560, 722561	7
171880	8
170354, 170355, 170369, 170370, 724683	9
2106, 172107	10
171886, 171887	11

<u>Cat. No.</u>	<u>Ill. No.</u>
170376, 170377, 170429 170430, 172211, 172212	12
172213, 172214	13
172013	14
171825, 171826, 172051 through 172054 172057, 172058, 723860, 724024, 724031	15
172185 through 172188	16
172486	17
172487	18
172613	19
173936	20
173081	21
84000	22
84201	23