



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Dust Cover**

Primary Product Color: **White**

Primary Product Material: **Polyester**

Operating Temperature (Max): **105 °C [185 °F]**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector Cover Type	Dust Cover
----------------------	------------

Body Features

Primary Product Color	White
Primary Product Material	Polyester

Housing Features

Compatible With Connector Shape	Rectangular
---------------------------------	-------------

Usage Conditions

Operating Temperature (Max)	105 °C[185 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 770156-3
4P CMNL IDC PLUG 18AWG ORG V2




TE Part # 794036-4
4P CMNL IDC PLUG 16AWG BLU V0




TE Part # 770232-1
CMNL IDC COVER




TE Part # 770156-2
4P CMNL IDC PLUG 22AWG RED V2




TE Part # 794036-2
4P CMNL IDC PLUG 20AWG YEL V0



TE Part # 770156-5
04P CMNL IDC PLUG 16 AWG BLU V



TE Part # 794036-3
4P CMNL IDC PLUG 22AWG RED V0








TE Part # 770156-4
4P CMNL IDC PLUG 20AWG YEL V2




Also in the Series

Commercial MATE-N-LOK



Customers Also Bought





Documents

Product Drawings

CMNL IDC COVER

English

CAD Files

Customer View Model

ENG_CVM_770233-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_770233-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_770233-1_B.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_770233-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_770233-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_770233-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

English

Product Specifications

Application Specification

Japanese



MATE-N-LOK Commercial IDC (Insulation Displacement Connectors)

Japanese

Application Specification

English

MATE-N-LOK Commercial IDC (Insulation Displacement Connectors)

English