TE Internal #: 444312-1

Fuse Holder, 12 Fuses (Maximum), 12 Fuses (Minimum), 12 Position,

8.5 mm [.334 in] Centerline, Other Hard Wired Boxes

View on TE.com >



Automotive Parts > Automotive Power Distribution Boxes > Other Hard Wired Boxes



Component Type: Fuse Holder

Number of Fuses (Maximum): 12

Number of Fuses (Minimum): 12

Number of Positions: 12

Centerline (Pitch): 8.5 mm [.334 in]

Features

Product Type Features

| Component Type | Fuse Holder |
|------------------------------|-----------------------|
| Primary Locking Feature | Integrated in Housing |
| Configuration Features | |
| Number of Fuses (Maximum) | 12 |
| Number of Fuses (Minimum) | 12 |
| Number of Positions | 12 |
| Electrical Characteristics | |
| Nominal Voltage Architecture | 12 V |
| Housing Features | |
| Centerline (Pitch) | 8.5 mm[.334 in] |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) |



| \square | n 0 + | aantain | REACH | CV/IIC |
|-----------|-------------|---------|--------|----------------------|
| DOES | $\Gamma(C)$ | contain | KFAU.H | $\Sigma V \square U$ |

| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per |
|-----------------|---------------------------------------|
| | homogenous material. Also BFR/CFR/PVC |
| | Free |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Customers Also Bought





TE Part #CAT-T4827-CH8172
Timer Connector Housing



TE Part #626095-1
FASTIN-ON .250 REC 1.0-2.5 MM2 BR



TE Part #880398-2
FUSE CONTACT



TE Part #2-962842-1
TAB 2.8x0.8 CONTACT CF SRC Sn



TE Part #1443997-2 BASE ASSEMBLY, 60 POSITION, BB









Documents

Product Drawings

HSG 12 POSN, FUSE CONTACT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_444312-1_F_c-444312-1-f.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_444312-1_F_c-444312-1-f.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_444312-1_F_c-444312-1-f.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.