



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Connector Product Type: **Housing**
Operating Voltage: **250 VDC**
Connector System: **Wire-to-Wire**
Number of Positions: **10**
Sealable: **Yes**

Features

Product Type Features

Connector Seal & Plug Type	Peripheral
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	With
Number of Positions	10
Number of Power Positions	2
Number of Signal Positions	8

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------



Contact Features

Reverse Gender	Yes
Contact Type	Socket
Contact Protection	With

Mechanical Attachment

Mating Retention Type	Threaded Coupling
Thread Size	15/16-20 UNEF – 2A
Polarization Code	A
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With
Panel Mount Feature	Without

Housing Features

Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon
Circular Connector Shell Size	17

Dimensions

Compatible Insulation Diameter Range	1.5 – 3.3 mm, 3.96 – 6.6 mm[.06 – .13 in][.156 – .26 in]
--------------------------------------	--

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	Immersion

Operation/Application

Circuit Application	Power & Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 208652-1
SEALING CAP ASSY,SZ 17,CPC



TE Part # 2423641-2
SEAL CAP ASSY, SZ17, SR 5&6, METAL BEAD




TE Part # 4-2407269-2
CAP, CPC, SIZE 17 RECP, BLACK



TE Part # 213906-1
CPC PLUG ASSY,SRS 6,SZ 17-10




TE Part # 54011-1
CPC STRAIN RELIEF, SIZE 17



TE Part # 54011-3
CPC STRAIN RELIEF, SIZE 17



TE Part # 4-2407269-3
CAP, CPC, SIZE 17 RECP, RED



TE Part # 4-2407269-1
CAP, CPC, SIZE 17 RECP, ORANGE



TE Part # 213894-1
CPC RCPT, IN-LINE, SRS 6, 17-10




TE Part # 207445-3
SEALING CAP ASSY, 17, CPC ROHS Compliant



TE Part # 2423641-1
SEAL CAP ASSY, SZ17, SR 5&6, PLASTIC LAN



TE Part # 213810-1
CPC COUPLING RING SIZE 17



TE Part # 4-2407269-4
CAP, CPC, SIZE 17 RECP, YELLOW



TE Part # 81665-2
FLANGE GASKET CPC

Also in the Series | [AMP Circular Plastic Connectors](#)



Circular Connector Backshells & Clamps(1)



Circular Power Connectors(10)




Connector Contacts(6)



Connector Hardware(10)



Power Contacts(6)



Sealing Sleeves(2)

Also in the Series | [Circular Plastic Connectors Series 6](#)



Circular Power Connector(10)

Customers Also Bought

TE Part #800752-SF
FN2010A-20-06

TE Part #518553-000
B-106-3631

TE Part #T4043014041-000
M8.FMLE.PNLFRONT.4POS.STRPCB

TE Part #66331-7
III+ SKT,24-20,15AU/FL,STRIP

TE Part #1-66358-9
III+ SKT,18-14,30AU/FL,STRIP

TE Part #213841-3
POWERBAND CONT ASSY,SILVER PLT

TE Part #213843-1
POWERBAND CONT ASSY,SILVER PLT

TE Part #213845-3
POWERBAND CONT ASSY,SILVER PLT

TE Part #213845-4
PWRBAND PIN ASY 14-12 L.P.

TE Part #213906-1
CPC PLUG ASSY,SRS 6,SZ 17-10

Documents

Product Drawings
CPC RECPT SEALED SIZE 17-10
English

CAD Files
3D PDF
English
Customer View Model
ENG_CVM_213894-2_B.2d_dxf.zip



English

Customer View Model

[ENG_CVM_213894-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_213894-2_B.3d_stp.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_213894-2_J.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_213894-2_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_213894-2_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

Product Specifications

[Product Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[UL Report](#)

English