



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: **Dual Barrier**
Bottom Termination Type: **Printed Circuit Pin**
Connector System: **Wire-to-Board**
Number of Positions: **11**
Centerline (Pitch): **8.26 mm [.325 in]**

Features

Product Type Features

Block Style	Flat Bottom with standoffs
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Levels	1
Number of Positions	11
Number of Rows	1

Electrical Characteristics

Operating Voltage	150 V, 300 V
-------------------	--------------

Body Features

Primary Product Color	Black
Product Orientation	Vertical
Barrier Strip Style	Dual Barrier



Contact Features

Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Contact Current Rating (Max)	10 A, 20 A

Termination Features

Bottom Termination Type	Printed Circuit Pin
-------------------------	---------------------

Mechanical Attachment

Top Termination Type	Wire Clamp Combo Head
Mounting Options	None
Screw Plating Material	Zinc Chromate
Screw Material	Steel
Thread Size	6-32
Screw Head Type	Wire Clamp Combo Head
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Thermoplastic Polyamide
Centerline (Pitch)	8.26 mm [.325 in]

Dimensions

Product Length	92.46 mm [3.64 in]
Wire Size	22 – 12 AWG

Usage Conditions

Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------


Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features


Packaging Method	Tray
Packaging Quantity	16

Also in the Series | [BUCHANAN 4DB Series](#)



Barrier Strips(18)

Customers Also Bought



TE Part #58495-2
PROCRIPIER DIE ASSY MULTIMATE



TE Part #4-640427-4
14P MTA156 CONN ASSY 20AWG YEL



TE Part #1-640445-1
11P MTA156 HDR ASSY FL/STR SN



TE Part #1462042-9
IMC06CGR=IM Relay 140mW 12V 1CO



TE Part #1-1571983-1
GDH08STR04=DIP SWITCH



TE Part #4-1625892-2
3W SM M/OX 5% 33K



TE Part #7-1625892-6
3W SM M/OX 5% 8K2



TE Part #1-1825010-3
ASE4204=4PDT AUTOSLIDE



TE Part #5-1879352-2
RR02 5% 43R AMMO



TE Part #1879355-8
RR03 5% 8K2 AMMO

Documents

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_3-1437667-5_N.2d_dxf.zip

English

Customer View Model

ENG_CVM_3-1437667-5_N.3d_stp.zip



English

Customer View Model

[ENG_CVM_3-1437667-5_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1437667-5_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1437667-5_M.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1437667-5_M.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS](#)

English

[1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE](#)

English