



10 9 8 7 6 5 4 3 2 1



F




E



MINIMUM HEIGHT OF SOCKET WITH
MODULE CARD HEIGHT OF 30.00mm
AND THICKNESS OF 4mm.



C



- NOTES :
- MATERIAL :
HOUSING : HIGH TEMPERATURE LIQUID CRYSTAL POLYMER, UL94V-0
COLOUR : BLACK
CONTACTS : COPPER ALLOY
LATCHES : HIGH TEMPERATURE NYLON, UL94V-0
COLOUR : NATURAL (OFF-WHITE)
COVER : HIGH TEMPERATURE NYLON, UL 94V-0
COLOUR : BLACK

- FINISH
CONTACTS : 0.76 MICROMETER (30 MICROINCH) MIN GOLD OVER
1.25 MICROMETER (50 MICROINCH) MIN NICKEL
SMT TAIL : 2.54 MICROMETER (100 MICROINCH) MIN TIN OVER
1.25 MICROMETER (50 MICROINCH) MIN NICKEL
- ACCEPTS 1.0mm THICK MEMORY MODULE PER JEDEC MO-244 FOR 244 CKTS AND MO-258 FOR 200 CKTS.
- PRODUCT SPECIFICATION : PS-78035-001.
- PACKING SPECIFICATION: SEE TABLE IN SHEET 4.
- DATE CODE SHALL BE MARKED LEGIBLY AS SHOWN : YY DDD.
- PART NUMBER SHALL BE MARKED LEGIBLY AS SHOWN : 78035-XXXX (REFER TO TABLE).

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181					
MM		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production DRWN: Vishal Ramesh Hosur 2024-07-03 CHK'D: Ganesh Rao B 2024-08-20 APPR: Gurunandan GA 2024-08-20 INITIAL REVISION: DRWN: YTYANG01 2005/08/12 APPR: GGLEEE 2005/08/25					
		MM	INCH						
4 PLACES	±		±						
3 PLACES	±		±						
2 PLACES	±	0.130	±						
1 PLACE	±	0.25	±						
0 PLACES	±		±						
ANGULAR TOL ± 1°				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				A3-SIZE		78035	SEE TABLE	GENERAL MARKET	SHEET NUMBER
									1 OF 4

molex

MINI DIMM, 0.60MM PITCH
200/244 CKTS, REV. ANGLE 22.5 DEG, SMT

PRODUCT CUSTOMER DRAWING

SD-78035-001

PSD 001 H1

F



E

D

C

B

A



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#515181			molex							
MM		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)							MINI DIMM, 0.60MM PITCH 200/244 CKTS, REV. ANGLE 22.5 DEG, SMT							
											MM		INCH	
4 PLACES		±		±	STATUS: Production DRWN: Vishal Ramesh Hosur 2024-07-03 CHK'D: Ganesh Rao B 2024-08-20 APPR: Gurunandan GA 2024-08-20			PRODUCT CUSTOMER DRAWING						
3 PLACES		±		±										
2 PLACES		± 0.130		±										
1 PLACE		± 0.25		±										
0 PLACES		±		±	INITIAL REVISION: DRWN: YTYANG01 2005/08/12 APPR: GGLEE 2005/08/25			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
								SD-78035-001		PSD	001	H1		
ANGULAR TOL ± 1°														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER			
							A3-SIZE	78035	SEE TABLE	GENERAL MARKET	2 OF 4			

