




zQSFP+/QSFP28

TE Internal #: 2334878-6
QSFP28 to SFP+ Cable Assembly, 16 Positions, 3 m [9.84 ft], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm² Wire, QSFP28 Plug End A, SFP+ Plug End B

[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > QSFP28-Four SFP+ Cable Assembly: 26 AWG



Cable Assembly Type: **QSFP28 to SFP+**
Cable Assembly (End A): **QSFP28 Plug**
Cable Assembly (End B): **SFP+ Plug**
Wire Size: **.129 mm²**

[All QSFP28-Four SFP+ Cable Assembly: 26 AWG \(10\)](#)

Features

Product Type Features

Cable Assembly Category	High Speed, Industry Standard
Cable Assembly Type	QSFP28 to SFP+
Cable Assembly (End A)	QSFP28 Plug
Cable Assembly (End B)	SFP+ Plug
Cable Style	Madison TurboTwin - Round Jacketed

Configuration Features

Number of Positions	16
Number of Pairs	8
Number of Signal Positions	16

Electrical Characteristics

Impedance	100 Ω
-----------	-------

Signal Characteristics

Data Rate	25 Gb/s
-----------	---------



Body Features

Cable Color	Black
Cable Flammability Rating	CL2
Equalized	No

Dimensions

Wire Size	.129 mm²
Outside Cable Diameter	5.96 mm[.235 in]

Operation/Application

Shielded	Yes
Halogen Free	No

Other

Cable Assembly Length	3 m[9.84 ft]
-----------------------	--------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: DIHP (15% in 4572568) TBPH (15% in 23312351700) Pb (.3% in 10660264730) Pb (1.8% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # 3-2198346-2 zSFP+ STACKED 2X8 RECEPTACLE ASSEMBLY	TE Part # 2314233-1 QSFP28, 1X3 CAGE ASSEMBLY, SPRING	TE Part # 2-2007182-0 SFP Standard 1x2 Light Pipe Assm	TE Part # 2316069-1 CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP
TE Part # 2-2198339-1 zSFP+ STACKED 2X6 RECEPTACLE ASSEMBLY	TE Part # 2316058-1 CAGE ASSEMBLY, 1X4, QSFP28, SPRING, B	TE Part # 1-2170704-3 CAGE ASSY, QSFP28 1X1, SPRING, CZ_HS	TE Part # 2294662-3 CAGE ASSY, 1X4, QSFP28, SPRING, HS, NO R P
TE Part # 2173482-2 1xN QSFP28 Bhnd Bzl Dbl LP, 57,69 Long	TE Part # 2297033-4 ZSFP 1X1 CAGE ASSEMBLY PRESSFIT HEATSINK	TE Part # 2170790-7 CAGE ASSY, 1X4, QSFP28, SPRING, HS	TE Part # 2170775-4 CAGE ASSY, 1X4, QSFP28, GASKET, HS, LP
TE Part # 5-2289708-2 QSFP28, 1X3, CAGE ASSY, SPRING, HS, SQLP	TE Part # 2198235-9 SFP+ ENHANCED 1X6, NET TALL HEATSINK	TE Part # 2306844-1 SFP+ ENHANCED 1X4, HEATSINK, LP	TE Part # 2170737-9 QSFP28, 1X3, CAGE ASSEMBLY, SPRING




TE Part # 2057833-1
SFP+ Enhanced 1x4 Cage Assy



TE Part # 2198235-7
SFP+ ENHANCED 1X6, SAN HEATSINK




TE Part # 2170827-1
CAGE ASSEMBLY, 1X2, QSFP28, GASKET,HS,LP




TE Part # 2306205-1
CAGE ASSY, QSFP28 1X1, GASKET, CZD HS

Also in the Series


zQSFP+/QSFP28



Heat Sinks(4)



Pluggable IO Connectors & Cages(394)



QSFP, QSFP+ & zQSPF+(394)

Customers Also Bought



TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part #DT06-2S
PLG, 2P, GRY, N




TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #CAT-D487-W416
Wedgelocks: DEUTSCH DT



TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING

Documents

Product Drawings

QSFP TO [4]SFP 25GIG 26AWG 3 METER

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_2334878-6_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2334878-6_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2334878-6_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English

[Product Specification](#)

English