

#### Industrial RJ45 Variant 3

TE Internal #: 1546641-1

Circular RJ45 Connector, Single Port, Receptacle, Cat 5, 8 Position,

Wire & Cable, Signal, Industrial RJ45 Variant 3

View on TE.com >



Connectors > Modular Jacks & Plugs > RJ45 Connectors











Modular Jack & Plug Interface Type: Circular RJ45

Port Configuration: Single Port

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: **Standard**Modular Connector Style: **Receptacle** 

#### **Features**

## Product Type Features

Modular Jack & Plug Interface Type	Circular RJ45
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Receptacle
Connector & Contact Terminates To	Wire & Cable

### **Configuration Features**

Port Configuration	Single Port
Connector Contact Density	Standard
Number of Positions	8
Number of Loaded Positions	8

## **Contact Features**

Contact Current Rating (Max)	1.5 A
Contact Mating Area Plating Material	Gold (Au)

#### Mechanical Attachment



#### **Housing Features**

Housing Material	Acrylonitrile-Butadiene-Styrene(ABS)
Usage Conditions	
Operating Temperature Range	-20 – 80 °C[-4 – 176 °F]
Operation/Application	
Indicator Type	No Indicator
Shielded	No
Circuit Application	Signal
Industry Standards	
IP Rating	IP67
Performance Category	Cat 5
Packaging Features	
Packaging Quantity	1
Packaging Method	Package

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUN 2016 (169) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Compatible Parts








# Also in the Series | Industrial RJ45 Variant 3





# Customers Also Bought























#### **Documents**

#### **Product Drawings**

THRD THRU PNL INTRCNCT,M40,IE

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1546641-1\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1546641-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1546641-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

INDUSTRIAL\_ETHERNET\_PRODUCTS

English