5536513-4 ✓ ACTIVE

Z-PACK | Z-PACK Future Bus+

TE Internal #: 5536513-4

192 Position Backplane Connector Housing, Board-to-Board, 4


Row, 48 Column, Housing for Male Terminals, Sealable, Z-PACK

Future Bus+

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > Backplane Connector Housings



Connector System: Board-to-Board

Number of Positions: 192
Row-to-Row Spacing: 2 mm

Number of Rows: 4

Number of Columns: 48

Features

Product Type Features

Product Type Features	
Connector System	Board-to-Board
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	192
Number of Rows	4
Number of Columns	48
Contact Features	
Contact Current Rating (Max)	1 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2 mm

2 mm

Usage Conditions

Row-to-Row Spacing

Dimensions



Operating Temperature Range	-67 – 257 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | Z-PACK Future Bus+






Backplane Connector Housings(19)



Board-to-Board Headers & Receptacles(14)



Hard Metric Backplane Connectors(1)



PCB Headers & Receptacles(14)




Customers Also Bought



TE Part #NB-PTCO-186
Pt100, 1.2x4.0, Class B, PTFM101B1A0



TE Part #103308-5 020 LOPRO HDR SP 15DP



TE Part #1-745492-8 09 HDE MS PLUG,22-26,LEAD FREE



TE Part #5-1618404-0
KHR500KSANL=Contactor, SPST-NO



TE Part #9-1625984-7 HSA50 R33 5%



TE Part #1761681-9
IDC LOW PRO HDR 26P VERT HT
BLACK



TE Part #2098963-1 30 WAY SHIELD ASSEMBLY, KEY AD





TE Part #5747846-3
25 MSFL RCPT RA 318 (IN,FM,BL)



TE Part #2098971-1
36WAY RECEPTACLE CARRIER

Documents

192 Position Backplane Connector Housing, Board-to-Board, 4 Row, 48 Column, Housing for Male Terminals, Sealable, Z-PACK Future Bus+



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5536513-4_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5536513-4_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5536513-4_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English