

EH3270-000

✓ ACTIVE

RAYCHEM

TE Internal #: EH3270-000

Heat Shrink Tubing, Black, 2:1, Single Wall, Shrinks To 30 mm [1.181 in], Elastomer, 50 mm [1.969 in] Expanded Inside, Highly Flame-Retardant, Spool

[View on TE.com >](#)

Heat Shrink Tubing > Single Wall ZH 150: Heat Shrink Tubing, 2:1 Shrink Ratio

Tubing Product Type: **Heat Shrink Tubing**Primary Product Color: **Black**Wall Type: **Single Wall**Expanded Inside Diameter (Min): **50 mm [1.969 in]**Recovered Inside Diameter (Max): **30 mm [1.181 in]**[All Single Wall ZH 150: Heat Shrink Tubing, 2:1 Shrink Ratio \(8\)](#)

Features

Product Type Features

Tubing Product Type

Heat Shrink Tubing

Wall Type

Single Wall

Body Features

Material Systems Code

100, 25

Primary Product Color

Black

Shrink Ratio

2:1

Primary Product Material

Elastomer

Flexibility

Flexible

Dimensions

Expanded Inside Diameter (Min)

50 mm[1.969 in]

Recovered Inside Diameter (Max)

30 mm[1.181 in]

Tubing Size Range

30 – 50 mm[1.181 – 1.969 in]

Usage Conditions

Tubing Flammability Type

Highly Flame-Retardant

Operating Temperature Range

-75 – 150 °C[-103 – 302 °F]

Recovery Temperature

175 °C

Operation/Application

Mechanical Resistance	Fluids
-----------------------	--------

Packaging Features

Packaging Method	Spool
------------------	-------

Other

Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Part #5677652002
RNF-3000-9/3-2-STK



TE Part #K1160973
Power Relay 29-251-11-907



TE Part #ZPF000000000018789
FDBA 50H 8-3A-PN-K



TE Part #828431-000
202K163-100/86-0



TE Part #931156-000
S1125-KIT-4



TE Part #K1152919
Limit switch G12-421-M-18




TE Part #5052954017
RNF-100-3/32-2-SP



TE Part #K1160758
Plunger Switch 44-01-069



TE Part #K1154427
Battery Disconnector 35-524-241-R-900



TE Part #ZPF000000000022616
402-0064-00-00-000

Documents

Product Drawings

[ZH150-50/30-0-SP](#)

English

Datasheets & Catalog Pages

[1654025_Sec3_ZH-100](#)

English

[raychem-tubing-product-selection-guide](#)

English

Product Specifications

[Installation instructions for ZH150 tubing](#)

English