

### STRATO-THERM

TE Internal #: 696153-2

Pin Terminal, 22 – 16 AWG, .25 – 1.6 mm<sup>2</sup> Wire, 20.14 mm [.793 in]

Length, Closed Barrel, Tin Plating, Reel, Partially Insulated,

STRATO-THERM

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules











Crimp Wire Terminal Type: Pin Terminal

Compatible Insulation Diameter Range: 2.67 – 3.56 mm [ .105 – .14 in ]

Wire Size: .25 – 1.6 mm²
Barrel Type: Closed

## **Features**

## **Product Type Features**

Wire Insulation Support Retention Type	Insulation Support
Contact Features	
Crimp Wire Terminal Type	Pin Terminal
Barrel Type	Closed
Terminal Plating Material	Tin
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Wire Size	.25 – 1.6 mm²
Overall Product Length	20.14 mm[.793 in]
Usage Conditions	

Partially Insulated

Insulation Option



### Operation/Application

Compatible With Wire Plating Material	Tin
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Quantity	5000
Packaging Method	Reel

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**







# Also in the Series | STRATO-THERM







Ring Terminals(85)



Splices(13)

# Customers Also Bought



TE Part #CAT-T3437-ST2999 STD Snap-On Markers



TE Part #2-36161-5 TERMINAL,PIDG R IR 12 6



TE Part #2-179958-2 DYNAMIC D-5200S REC HSG 2P K/Y









## **Documents**

Product Drawings
TERM, WIRE PIN, PIDG, 22-16, T&R

English

**CAD Files** 

3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_696153-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_696153-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_696153-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English