




Terminals & Splices > Splices



Splice Type: **Closed End Splice**

Sealable: **No**

Contact Base Material: **Copper**

Primary Product Color: **Blue**

Terminal Material Thickness: **.51 mm [.02 in]**

Features

Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Nylon
Primary Product Color	Blue

Contact Features

Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment



Wire Insulation Support	Without
-------------------------	---------

Dimensions

Outside Diameter	5.89 mm[.232 in]
Terminal Material Thickness	.51 mm[.02 in]
Product Length	13.08 mm[.515 in]

Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 58573-2
PROCrimp Die Spare Wire Cap



TE Part # 58573-1
Spare Wire Capper Assembly

Customers Also Bought



TE Part #2803-4-22143
CONT SOC ASSY



TE Part #705585-000
202D211-25/86-0



TE Part #ABC03N-22P-4048
IN-LINE RECP



TE Part #34304
SPLICE,CE 22-14



TE Part #320570
SPLICE BUTT PIDG 12-10



TE Part #320755
TERMINAL,SOLIS R 2 3/4



TE Part #321519
SPLICE,CE 22-10



TE Part #1658680-1
KIT,HDP-22,ENCLSUR,PLUG,SIZE 3

TE Part #1218600-1
ASY 60 POS SOCK INSERT RR

TE Part #4-1393159-6
20C314=SPRING,HOLD,DOWN,KUP

Documents

Product Drawings
SPARE WIRE CAP,BLU .120-.145 INS.
English

CAD Files
3D PDF



3D

Customer View Model

[ENG_CVM_CVM_324486_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324486_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324486_K.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_324486_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_324486_N.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_324486_N.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Agency Approvals

[CSA Certificate](#)

English