



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories



Insulating Accessory Type: **End Section Cover**  
Compatible With Block or Strip Type: **Pluggable Terminal Blocks**  
Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

|                           |                   |
|---------------------------|-------------------|
| Insulating Accessory Type | End Section Cover |
|---------------------------|-------------------|

Body Features

|                          |               |
|--------------------------|---------------|
| Primary Product Color    | Dark Gray     |
| Product Weight           | 2.85 g[.1 oz] |
| Primary Product Material | Polyamide     |

Dimensions

|                 |                   |
|-----------------|-------------------|
| Product Spacing | .8 mm[.031 in]    |
| Product Depth   | 32.8 mm[1.291 in] |
| Product Height  | 79.3 mm[3.122 in] |

Usage Conditions

|                                |                            |
|--------------------------------|----------------------------|
| Installation Temperature Range | -5 – 40 °C[23 – 104 °F]    |
| Operating Temperature Range    | -55 – 110 °C[-67 – 230 °F] |

Operation/Application

|                                     |                           |
|-------------------------------------|---------------------------|
| Compatible With Block or Strip Type | Pluggable Terminal Blocks |
|-------------------------------------|---------------------------|

Industry Standards



|                        |          |
|------------------------|----------|
| IP Rating              | IP20     |
| UL Flammability Rating | UL 94V-0 |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                                |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                      |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(319)




Terminal Block & Strip Conducting  
Accessories(67)



Terminal Block & Strip Insulating  
Accessories(31)


Customers Also Bought



TE Part #1SNA234000R0200  
RC810



TE Part #1SNA115438R1200  
M4/6.SNBT



TE Part #1SNA116656R2500  
FEM8D1



TE Part #1SNA166627R2200  
TC-E-VA-2-2



TE Part #1SNA115831R0400  
D6/8.ST1.RS.IP20




TE Part #1SNA166625R2000  
CC-E-VA-6.6




TE Part #926984-1  
STD TIMER CONTACT



TE Part #1-967241-1  
J-P-T HOUSING ASSY 6P



TE Part #1SNA193629R2000  
FEMT2-BE



TE Part #1SNA195639R2400  
M6/8.ST1.V0.IP20

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1SNK805911R0000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK805911R0000\_A.3d\_igs.zip

1SNK805911R0000

End Section Cover, Used With Pluggable Terminal Blocks, -55 – 110 °C [-67 – 230 °F],  
ENTRELEC SNK, Terminal Block & Strip Insulating Accessories



English

Customer View Model

[ENG\\_CVM\\_CVM\\_1SNK805911R0000\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[EDS4-22](#)

English

[ENTRELEC Terminal Block - Master Catalog](#)

[ENTRELEC Terminal Block - Master Catalog](#)

English

[SNK SERIES TERMINAL BLOCKS](#)

English

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)

[Essential Entrelec Terminal Blocks](#)

French

[Essential Entrelec Terminal Blocks](#)

English

[Essential Entrelec Terminal Blocks](#)

Japanese