




Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: **Board-to-Board**

Number of Positions: **3**

Centerline (Pitch): **3 mm [.118 in]**

Connector & Housing Type: **Receptacle**

PCB Mount Retention: **Without**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Housing Type	Receptacle
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	3
PCB Mount Orientation	Right Angle

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

PCB Contact Termination Area Plating Material	Tin-Lead
Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold (Au)
Contact Current Rating (Max)	2 A

Mechanical Attachment



PCB Mount Retention	Without
Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	3 mm [.118 in]
--------------------	----------------

Usage Conditions

Operating Temperature Range	-40 – 85 °C [-40 – 185 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 292331-3
BATTERY 3P SMT 1.6MM PITCH
ASSEMBLY CONN



TE Part # 6337194-1
BATTERY CONNECTOR ASSEMBLY

Customers Also Bought




TE Part #214550-E
MSPPM 5 M SMD M2 * A V 137 094 *
E008 J



TE Part #214552-E
MSPPM 5 M SMD M10 * A V 137 094 *
E008 J



TE Part #214548-E
MSPPM 5 F SMD F8 * A V 137 094 *
E008 J




TE Part #776262-1
14POS,PIN DIA 1.3,HDR ASSY,
180DEG,COD 1



TE Part #826629-3
3P AMPMODU II



TE Part #826632-4
4P AMPMODU II PIN HDR.



TE Part #1217754-1
250 FASTON,FLAG,PCB TAB,TNBR



TE Part #7-2176414-2
7W STD M/OX 5% 18K



TE Part #5-2176455-7
CPF 0402 422K 0.1% 25ppm 1K RL



TE Part #1393277-4
V23076A1001C133

Documents

Product Drawings

3.0mm PITCH 3P SMT ASSEMBLY BATTERY CONN

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_292448-1_A1.3d_igs.zip



English

Customer View Model

[ENG_CVM_292448-1_A1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_292448-1_A1.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Products for Mobile Equipment](#)

English

Product Specifications

[Product Specification](#)

English