



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Jumper Bar**

Number of Poles: **5**

PCB Mount Retention Type: **Screwless**

Primary Product Color: **Orange**

Product Spacing: **10 mm [.394 in]**

Features

Product Type Features

Conducting Accessory Type	Jumper Bar
---------------------------	------------

Configuration Features

Number of Poles	5
-----------------	---

Electrical Characteristics

Power Loss	2.4 W
Dielectric Withstanding Voltage (Max)	2200 V
Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	600 V
Impulse Withstanding Voltage Rating (IEC)	6000 V
Current Rating (IEC)	76 A
Current Rating (UL)	67 A
Current Rating (CSA)	67 A
Voltage Rating (IEC)	1000 V
Voltage Rating (CSA)	600 V
Short-Time Withstanding Current Rating @ 1s	1920 A

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	12 g[.424 oz]
Primary Product Color	Orange



Contact Features

Contact Current Rating (Max)	76 A
------------------------------	------

Mechanical Attachment

PCB Mount Retention Type	Screwless
--------------------------	-----------

Dimensions

Product Width	10 mm[.394 in]
Product Depth	31.5 mm[1.24 in]
Product Height	48 mm[1.89 in]
Product Spacing	10 mm[.394 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
-----------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability






Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part





numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1SNK900659R0000 TO3.5-50-A	 TE Part # 1SNK710020R0000 ZK10-BL	 TE Part # 1SNK710150R0000 ZK10-PE	 TE Part # 1SNK710021R0000 ZK10-3P-BL
 TE Part # 1SNK510030R0000 ZS16-OR	 TE Part # 1SNK710010R0000 ZK10	 TE Part # 1SNK710030R0000 ZK10-OR	 TE Part # 1SNK510010R0000 ZS16
 TE Part # 1SNK900101R0000 CS	 TE Part # 1SNK710151R0000 ZK10-PE-3P	 TE Part # 1SNK710011R0000 ZK10-3P	 TE Part # 1SNK510020R0000 ZS16-BL

Also in the Series | ENTRELEC SNK

 Modular Terminal Blocks(319)	 Terminal Block & Strip Conducting Accessories(67)	 Terminal Block & Strip Insulating Accessories(31)
---	---	--

Customers Also Bought





TE Part #0462-201-1631
SOC, SOLID, SIZE 16, 16-20AWG, AU



TE Part #1SNK169999R0000
MC812PA



TE Part #1SNK160000R0000
MC812



TE Part #HD36-18-14SN-059
PLG,14P,AL,N, CBL CLMP BT, DRAIN, 16,S,MC



TE Part #1SNK910310R0000
JB10-10



TE Part #CONN007-2-W
N Type Plug 50 Ohm Cable Crimp



TE Part #66360-2
III+ SKT,18-14,TIN-LEAD,LP



TE Part #66399-1
III+ SKT,24-20,TIN-LEAD,LP



TE Part #1-66399-1
III+ SKT,24-20,TIN,SMPACK



TE Part #206043-1
RECEPT,SZ 17-14 CPC

Documents

Product Drawings

JB10-5

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK910305R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK910305R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK910305R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1SNK910305R0000

Jumper Bar, 5 Pole, Orange, 10 mm [.394 in] Spacing, -55 – 110 °C [-67 – 230 °F],
ENTRELEC SNK



JB10-5

English

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Essential Entrelec Terminal Blocks

Japanese