



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Carrier**
Primary Product Color: **Black**
Primary Product Material: **PC + ABS**
Operating Temperature (Max): **100 °C [212 °F]**

Features

Product Type Features

Connector Cover Type	Carrier
----------------------	---------

Body Features

Primary Product Color	Black
Primary Product Material	PC + ABS

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
-----------------------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241)



	Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2-2822549-5 LGA3647-0 SOCKET-P0 KIT (30U AU PLATING)	TE Part # 2-2129710-6 RIGHT SIDE LGA3647-0 SOCKET-P0 FOR ODM	TE Part # 2-2129710-5 LEFT SIDE LGA3647-0 SOCKET-P0 FOR ODM	TE Part # 2-2822979-3 LGA3647-0 SOCKET P0 KIT FOR ODM (30U AU)
TE Part # 2821722-4 IFP/LEC CBL ASSY 1 PORT TYPE B STR INV	TE Part # 2821722-2 IFP/LEC CBL ASSY 1 PORT TYPE B STR INV	TE Part # 2821722-3 IFP/LEC CBL ASSY 1 PORT TYPE B STR INV	

Customers Also Bought



TE Part #2299805-1
NRW BACK PLATE ASSY, SOCKET P0,
STUD6.8MM

Documents

Product Drawings

, NARROW FABRIC, SOCKET P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2310927-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2310927-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2310927-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

LGA 3647 Socket Product Flyer

English

Product Specifications

Application Specification

English