






Color: ■ silver-colored Similar to illustration



Dimensions in mm

- Features:**
- Duplex LC optical connector
 - Small Form-Factor Pluggable (SFP) industry-standard design
 - Compliant with IEEE802.3z Gigabit ETHERNET Standard
 - Differential LVPECL inputs and outputs
 - Power supply: 3.3 V
 - TTL signal detect indicator
 - Hot-pluggable capability

Technical data	
Optical fiber type	Multi-mode

Connection data	
Connection technology: communication/fieldbus	1 x SFP; LC fiber-optic connector
Connection requirement (permissible cable length)	550 m
Connection requirement (permissible cable type)	Multi-mode fiber 50/125 µm; Wavelength: 850 nm
Connection requirement (permissible cable length) (2)	300 m
Connection requirement (permissible cable type) (2)	Multi-mode fiber 62.5/125 µm; Wavelength: 850 nm



Physical data		
Width		13.4 mm / 0.528 inches
Height		13.3 mm / 0.524 inches
Depth		56.6 mm / 2.228 inches

Mechanical data		
Weight		17 g
Color		silver-colored

Environmental requirements		
Ambient temperature (operation)		-40 ... +85 °C
Ambient temperature (storage)		-40 ... +85 °C
Fire load		0 MJ

Commercial data		
PU (SPU)		1 pcs
Packaging type		Box
Country of origin		TW
GTIN		4055143394161
Customs tariff number		85176200000

Product Classification		
UNSPSC		43201553
eCl@ss 10.0		19-17-01-30
eCl@ss 9.0		19-17-01-06
ETIM 9.0		EC000309
ETIM 8.0		EC000309
ECCN		5A992.C

Environmental Product Compliance		
RoHS Compliance Status		Compliant, No Exemption

Approvals / Certificates

General approvals			Declarations of conformity and manufacturer's declarations		
			Approval	Standard	Certificate Name
Approval	Standard	Certificate Name	EU-Declaration of Confor- mity WAGO GmbH & Co. KG		
EAC GZO Almaty Standart	TP TC 020/2011	EAC CoC 03083			
KC National Radio Research Agency	Article 58-2, Clause 3	MSIP-REM-W43-SFP852			



Downloads			
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 852-1200			

Documentation			
Bid Text			
852-1200	19.02.2019	xml 3.96 KB	
852-1200	09.10.2017	doc 26.00 KB	
ausschreiben.de 852-1200			

CAD/CAE-Data			
CAE data			
EPLAN Data Portal 852-1200			
WSCAD Universe 852-1200			