# 02350531-000 ACTIVE

## MEAS | MEAS PCA

TE Internal #: 02350531-000

TE Internal Description: GA-HD PCA-116-100 ASSY

GAGE HEAD WITH NYLON BEARING

View on TE.com >



Sensors > Position Sensors > LVDT Sensors > GAGE HEAD WITH NYLON BEARING



Linearity Error (Full Range): ±.5 %

Case Material: Stainless Steel
Product Shape: Cylindrical
Supply Voltage Range: 3 V

Operating Temperature Range: -55 - 95 °C [ -67 - 203 °F ]

### All GAGE HEAD WITH NYLON BEARING (0)

### **Features**

## **Product Type Features**

Froduct Type realures	
Product Shape	Cylindrical
Configuration Features	
Electrical Connection	Leads
Electrical Characteristics	
Supply Voltage Range	3 V
Signal Characteristics	
Excitation Frequency	1 – 10 kHz
Body Features	
Case Material	Stainless Steel
Core Configuration	Spring Loaded Core
Dimensions	
Product Diameter	19.05 mm[.75 in]
Usage Conditions	
Operating Temperature Range	-55 – 95 °C[-67 – 203 °F]
Industry Standards	



IP Rating	IP61
Other	
Linearity Error (Full Range)	±.5 %

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)  Candidate List Declared Against: JAN 2025 (247)  SVHC > Threshold:  Terphenyl hydrogenated (10% in Component Part)  Article Safe Usage Statements:  Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





## Also in the Series | MEAS PCA



## Customers Also Bought





















## **Documents**

**CAD Files** 

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_02350531-000\_E.2d\_dxf.zip

English



**Customer View Model** 

ENG\_CVM\_CVM\_02350531-000\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_02350531-000\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AC Operated Gage Heads

English