

CGS | CGS YP

TE Internal #: 1630184-5

27K ohm, Wire Wound, 5 %, Power Resistor, 10 W, 2 Terminations, ±30 ppm/°C, Mounting Terminals, Loose Piece - Box, 50 mm [1.969]

in] Length, CGS YP

View on TE.com >




Passive Components > Resistors > Chassis Mount Resistors > Resistor Cap Discharge YP10











Resistor Type: Power Resistor Resistance Class: $1k\Omega - 1M\Omega$ Resistance Value: $27K\Omega$ Power Rating: 10W

Element Type: Wire Wound

All Resistor Cap Discharge YP10 (4)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	570 VAC
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	27Κ Ω
Power Rating	10 W
Passive Component Tolerance	5 %
Termination Features	

2

Number of Terminations



Chassis Mount Resistor Termination Type	Mounting Terminals
Unassis Mount Resistor Lermination Lyne	MOUNTING LERMINAIS
Chassis Modrit Resistor remination rype	Wiedriching Terrinians

Mechanical Attachment

Dimensions

Product Diameter	9.5 mm[.374 in]
Product Length	50 mm[1.969 in]

Usage Conditions

Operating Temperature Range	-55 – 350 °C[-67 – 662 °F]
Temperature Coefficient	±30 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



Also in the Series | CGS YP



Customers Also Bought
























Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1630184-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1630184-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1630184-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English